INDEX TO VOLUME 78

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in bold face. Numbers in italic refer to pages on which the name is listed as a synonym. Numbers in bold face refer to pages on which the name is accompanied by a description or illustration.

Abuta, 262; *barbata*, 264; *bullata*, 263; *candollei*, 264; *froesii*, 262; *grandifolia*; 263 *grisebachii*, 264; *imene*, 263; *klugii*, 263; *macrocarpa*, 262; *obovata*, 263; *panurensis*, 263; *rufescens*, 264; *selloana*, 263; *splendida*, 264; *trinervis*, 263; *velutina*, 263

Abutilon abicennae, 311

Acalypha hispida, 316; *Wilkesiana*, 316

Acanthospermum humile, 268

Acer brachypterum, 460; *ginnala*, 314; *rubrum trilobum*, 153; *saccharum*, 458, 465; *Skutchii*, 458, 459, 460, 463

Achillea Millefolium, 311

Achimenes, 460; *grandiflora*, 311

Acrostalagmus, 191, 198

Actinomyces, 204

Adiantum capillus-veneris, 460

Adonis vernalis, 311

Aegopodium Podograria, 319

Aesculus parviflora, 311

Agapanthus umbellatus, 311

Agardhiella tenera, 371

Ageratum Houstonianum, 311

Aglaonema pictum, 314

Agrimonia, 460

Agrostis hyemalis, 173; *spica-venti*, 266

AHLES, HARRY E.: Interesting weeds in New York City, 266

ALBRECHT, WM. A., V. L. SHELDON AND WM. G. BLUE: "Fairy ring" mushrooms make protein-rich grass, 83

Aleurodiscus polygonius, 151

Allium, 406, 425; *cepa*, 422, 423; *cuthbertii*, 409

Alnus rugosa, 155

Alpinia, 352; *galanga*, 352; *officinarum*, 352

Alstroemeria, 430

Alternanthera vericolor, 311

Althaea rosea, 311

Alyssum maritimum, 311

Amaranthus, 254; *spinosus*, 268; *viridis*, 267, 268

Amelanchier, 166, 168; *Bartramiana*, 467; *canadensis*, 155

AMES, OAKES (obituary), 164

Amino acid, requirements of *C. albicans* & *M. vini*, 134; toxicities and susceptibility to black root rot, 227

Anacamptodon, 209

Anaptychia hypoleuca, 462; *leucomela*, 462

Ancylistes, 218

ANDERSON, EDGAR, (Review), 170

Andreaea, 411, 416, 417; *rothii*, 411, 417; *rupestris*, 417

Andropogon, 173, 410; *elliotti*, 409; *glomeratus*, 155; *virginicus* var. *abbreviatus*, 409

Anemone canadensis, 318; *quinquefolia*, 464

Anemonella thalictroides, 464

Anethum graveolens, 267, 311

Anisodon Bertrami, 209; *perpusillus*, 207

Anomodon attenuatus, 462

Anomospermum, 261, 262; *bolivianum*, 261; *chloranthum*, 261; **froesii**, 258, **262**; *glaucescens*, 262; *hirsutum*, 261; *nitidum*, 261; *occidentale*, 261; *reticulatum*, 261; *schomburgkii*, 261

Antennaria, 168, 169; *canadensis*, 465; *margaritacea*, 315; *Parlinii*, 429

Anthoceros, 331, 332, 333, 335, 336, 337, 338, 339, 340, 341, 342, 344, 345, 346, 347, 348; *argillaceus*, 338, 342, 345; *beltrani*, 347; *carolinianus*, *347*; *crispulus*, 335, *347*; *curnowii*, 347; *dichotomus*, *347*; *dixiti*, *347*; **dixitianus**, 342, 345, **347**; *donellii*, 341; *erectus*, 333; **fergussoni**, 345, **347**; *fusiformis*, 333, 335, 336, 338, 340, 342; *gracilis*, 347; *hallii*, *347*; *husnoti*, 334, 336, 338, 342, *347*; *incrassatus*, *347*; **indonesicus**, 342, **347**; **kajumas**, 342, **347**; **khandalensis**, 342, **347**; *koshii*, 344; *laevis*, 164, 344, 346, *347*; *longicapsulus*, *347*; *multifidus*, 347; *parkinsonii*, 344; *pearsoni*, 341, *347*; *phymatodes*, 343, *347*; *pinnatus*, 338, 341, 342; *propaguliferus*, *347*; *punctatus*, 331, 332, 336, 338, 342, 344, 346, 347; *ravenelii*, 337, 338, 340, 342; *sahyadrensis*, 344; *sampalocensis*, 342, 347; *stableri*, 347; *sulcatus*, 335; *tjipanasanus*, *347*; *vegetans*, 338, 342, 344, 347; *weistii*, 345

Athocerotales, studies on, 331

Antibacterial substances, in seed plants, 310

Antirrhinum majus, 319

Aphanizomenon, 372, 373; *flos-aquae*, 372

Apium graveolens, 311

Aplopappus, 169
Arabis lyrata, 465
Aralia nudicaulis, 155
ARBER, AGNES: The natural philosophy of plant form (Review), 426
Arenaria groenlandica, 467; *leptoclados*, 267
Arisaema dracontium, 460; *Stewardsonii*, 467
Aristida, 296, 298
Aristolochia Clematiti, 314
Aritu, new species of timber tree, 322
Aronia arbutifolia, 155
Arrhenatherum, 33
Arrhytidia enata, 103, 111
Artemisia absinthium, 312; *annua*, 267, 268, *biennis*, 268
Arundinaria, 113, 114, 120; *gigantea*, 113, 114, 120; *tecta*, 113, 114, 120
Asclepias tuberosa, 465
Ascophyllum nodosum, 371
Asimina parviflora, 409
Asparagus Sprengeri, 312
Aspergillus, 202
Aspidistra lurida, 312
Aspidium simulatum, 156
Aspiromitus, 331, 332, 340, 344, 346, 347; *argillaceus*, 341; *dixitianus*, *347*; *fergussoni*, *347*; *gracilis*, 342, *347*; *harrisanus*, 345; *husnoti*, 332, *347*; *kajumas*, *347*; *khandalensis*, *347*; *novazealandica*, 332, *347*; *sampalocensis*, *347*; *tonkinensis*, 341
Asplenium platyneuron, 465; *Trichomanes*, 465
Aster, 168; *concolor*, 172; *nemoralis*, 155; *novae-angliae*, 465; *puniceus*, 465
Asterostemma, 9
Astrostemma, 9
Athyrium thelypteroides, 465
Atrichum angustatum, 410; *polycarpum*, 461
Atriplex tatarica, 268
Aulacomnium palustre, 156
Auricularia polytricha, 462
Austinia, 210; *tenuinervis*, 210
Avena, 16, 17, 18, 77; *sativa*, 20; *sativa* var. *Victory*, 11
Bacidia chlorosticta, 157
Bacterium angulatum, 230; *tabacum*, 230
BAILEY, PAUL C.: A study of the chromosome morphology of some species of *Trillium*, 324
BALDWIN, J. T., JR. and BERNICE M. SPEESE: Cytogeography of *Clappertonia* in West Africa, 161. Cytogeography of *Physalis* in West Africa, 254. *Tacca involucrata*: its chromosomes, 70
Ballocephala, 199; sphaerospora, 184, 186, 188, 190, 192, 199
Ballota nigra, 268
Bambusa vulgaris, 32
Baptisia tinctoria, 316
Barbarea vulgaris, 315
Bartonia paniculata, 155, 160
Basidiobolus ranarum, 195, 218
BAXTER, JOHN W., and GEORGE B. CUMMINS; *Polioma* Arth., a valid genus of the Uredinales, 51
Bazzania trilobata, 156
Beauveria, 204, 205; *Bassiana*, 204; *effusa*, 204, 205; *globulifera*, 205
Begonia, 460; *Dregei* × *socotrana*, 314
Beloperone guttata, 312
BENSON, LYMAN: The cacti of Arizona (Review), 471
BERGER, C. A. and E. R. WITKUS: Some cytological effects of cortisone, 422
Berteroa incana, 267, 315
Betula, 168; *glandulosa*, 467; *populifolia*, 154
Black root rot, and amino acid toxicities, 227
BLAKE, S. F. (Review), 165
Blasia, 164; *pusilla*, 164
Blissus hirtus, 204
Blooming of Drummond's primrose, 350
BLUM, JOHN L.: Notes on Vaucheriaceae, with particular reference to Western New York, 441
Bocconia arborea, 460, 463; *cordata*, 317
Boehmeria argentea, 319
Bomarea, 460
Borers, parasitized by a fungus, 201
Botrychium virginianum, 460, 465
Botrytis, 205
Boudierella coronata, 212
Bougainvillia glabra, 312
Bouteloua, 298; *hirsuta*, 293, 294, 295
Brachiaria ciliatissima, 293, 295
Brachyelytrum, 296, 298
Brachymenium systylium, 461
Brachythecium, 164; rivulare, 164
Brassica campestris var. *Napo-Brassica*, 312; *eruca*, 267, *oleracea* var. *botrytis*, 316; *oleracea* var. *capitata*, 312; *oleracea* var. *sabauda*, 312
Breweria, 469
BRIERLEY, WILLIAM B.: Principles of plant infection (translation of Pflanzenliche Infectionslehre by Ernst Gaumann) (Review), 171

Bromus, 168; *catharticus*, 297; *inermis*, 312
BROWN, WALTER V.: Chromosome numbers of some Texas grasses, 292
BROWN, WALTER V., HELEN J. PONEWCZYNSKI AND HENRY H. SCARBOROUGH, JR.: A cytological study of *Tradescantia Reverchoni* Bush, 66
Bryophyllum pinnatum, 315
Bryophytes, of Beaver Lake Region of New Jersey, 164
Bryum argenteum, 462; *capillare*, 462; *procerum*, 461; *pseudotriquetrum*, 411, 415; *truncorum*, 462
Bulbostylis capillaris, 409
Botomus, 166
Buxus sempervirens, 315
Cakile americana, 268; *maritima*, 268
Calendula officinalis, 312; *suffruticosa*, 312
Calla palustris, 312, 429, 467, 468
Callicarpa, 420; *americana*, 409, 419
Callistephus hortensis, 312
Calocera cornea, 111
Calothrix, 372, 373; *parietina*, 372
Calvatia cyanthiformis, 469
Calypogeia trichomanis, 156
Camelina, 171
Campanula aparinoides, 155
Campylopus, 407, 408, 415, 416, 419; *flexuosus*, 407, 419, 420, 462; *introflexus*, 419; *tallulensis*, 407
Candida, 143; *albicans*, 134, 136, 137, 138, 139, 140, 141, 142, 143, 144
Canna compacta, 312
Capsella bursa-pastoris, 312
Caragana microphylla, 316
Cardiocarpon affinis, 456
Carduus nutans, 266, 268
Carex, 44, 46, 47, 48, 49, 168, 271, 379; *angustior*, 46, 47, 48; *arctata*, 46, 47, 48; *bebbii*, 47; *brunnescens*, 46, 47, 48; *canescens*, 47; *cephalantha*, 47; *crawfordii*, 46, 47, 48; *deweyana*, 47; *disperma*, 47; *emoryi*, 155; *flava*, 468; *flexuosa*, 47; *folliculata*, 155; *gynandra*, 46, 47, 48; *howei*, 155; *incomperta*, 155; *interior*, 47; *intumescens*, 46, 47, 48; *laxiflora*, 47; *littoralis*, 155; *lupulina*, 467; *lurida*, 47; *novae-angliae*, 47; *pallescens*, 47; *projecta*, 47; *retrorsa*, 47; *scoparia*, 47; *stellulata* var. *cephalantha*, 156; *stipata*, 46, 47, 48; *straminea* var. *cumulata*, 47; *striata* var. *brevis*, 156; *stricta* var. *strictior*, 47; *strictior*, 156; *subulata*, 156; *tribuloides*, 47; *tribuloides* var. *reducta*, 47; *trisperma*, 156; *vesicuria*, 47; *vulpinoidea*, 46, 47, 48
Carpinus caroliniana, 460, 465
Carum Carvi, 267, 468
Carya, 459, 460; *ovata*, 459
Cassia, 460
Casuarina, 351
Catalpa speciosa, 314
Celosia argentea, 312
Celtis occidentalis, 465
Cenococcum graniforme, 143
Centaurea Cyanus, 312
Cephalosporium, 191
Ceramium rubrum, 371, 374
Cerastium, 166, 168
Cercis canadensis, 316, 460
Cereus, 471; *giganteus*, 471; *Thurberi*, 471
Cerocospora nicotianae, 230
Cetraria aleurites, 157; *ciliaris*, 157; *juniperina*, 157; *lacunosa*, 157; *placorodia*, 157
Chamaecyparis thyoides, 153
Chamaedaphne calyculata, 155
Chamaedorea, 458, 460, 463
Champia parvula, 371
Cheilanthes lanosa, 409, 415, 465
Chelidonium majus, 317
Chenopodium glaucum, 267
Chiloscyphus rivularis, 429
Chionanthus, 414, 420; *virginicus*, 409, 413, 418
Chloris, 298; *virgata*, 293, 294, 295
Chlorocibaria aeruginascens, 462
Chloromycetin, medium for, 56
Chondodendron, 258; *candicans*, 259; *limachfolium*, 259; *platiphyllum*, 258; *tomentosum*, 259; *toxicoferum*, 259
Chondria tenuissima, 371
Chondrus crispus, 371
Chorda Filum, 371
Chordaria flagelliformis, 371
Chromosome, morphology of some species of *Trillium*, 324; number, of *Strophanthus*, 80; numbers, in Texas grasses, 292
Chromosomes, of *Tacca involucrata*, 70
Chrysanthemum cinerariaefolium, 315; *leucanthemum* var. *pinnatifidum*, 415; *segetum*, 315
Chrysocelis, 51
CHUTE, HETTIE M., (Review), 272
Cichorium Endivia, 312
Cinchona, 430; *officinalis*, 430
Cirsium, 233, 234, 235, 250; *americanum*, 233; *canescens*, 234; *discolor*, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251,

252; *muticum*, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252
Cirsium, natural hybridization in, 233
Citrus nobilis, 312
Cladochytrium, 38, 40, 41, 43; *aureum*, 38; *crassum*, 40; *hyalinum*, 40; **setigerum**, **38**, 39, **40**, 43; *tenue*, 40
Cladonia, 407, 410, 420; *apodocarpa*, 408, 410; *bacillaris*, 157, 410; *calycantha*, 157; *calycantha* f. *foliosa*, 157; *caroliniana*, 408, 419; *caroliniana* f. *dilatata*, 412; *chlorophaea*, 157, 429; *coniocraea*, 157, 429; *coniocraea* f. *ceratodes*, 157; *cristatella*, 157, 429; *cristatella* f. *beauvoisii*, 410; *cristatella* f. *vestita*, 157, 410; *didyma*, 157; *didyma* f. *squamulosa*, 157; *didyma* f. *subulata*, 158; *furcata* var. *pinnata*, 462; *grayi* f. *carpophora*, 410; *grayi* f. *simplex*, 410; *incrassata*, 158, 159; *incrassata* f. *squamulosa*, 158; *leporina*, 408, 419; *piedmontensis* f. *squamulosa*, 410; *pleurota*, 158; *rangiferina*, 408, 410, 412, 417, 429; *santensis*, 158; *squamosa*, 158, 410; *strepsilis*, 417; *sylvativa*, 408, 412; *sylvatica* f. *setigera*, 408, 410; *tenius*, 408, 410, 412, 417, 419; *uncialis*, 408, 412
Clappertonia, 161, 162; *ficifolia*, 161, 162, 163; *minor*, 161, 162
Clarkia elegans, 317
Clasmatodon, 206, 207, 208, 209, 210; *parvulus*, 206, 208; *pusillus*, 209
Clasmatodon parvulus, paristome of, 296
Clavularia hippotrichoides, 127, 129
Claytonia virginica, 464
Clematis, 257; *verticillaris*, 468
Cleome spinosa, 312
Clerodendron Thomsonae, 312
Clethra, 460; *alnifolia*, 155, 158; *macrophylla*, 458, 459
Clintonia borealis, 467
Cnicus americanus, 233; *carlinoides*, 233; *carlinoides* var. *Americanus*, 233; *eriocephalus*, 233; *Parryi*, 233; *remotifolius*, 233; *undulatus*, 233
Cnidoscolus, 460
Codiaeum variegatum, 316
Collybia radicata, 462
Coloradoa, 471
Completoria, 218
Conidiobolus, 218; *Brefeldianus*, 218; *villosus*, 212
Conopholis americanus, 460
Convallaria majalis, 312
Convolvulus repens, 312
Coprinus, 195; *lagopus*, 151
Corallorhiza trifida, 467
Cordaitean leaf, new species, 449
Cordaites, 445; **affinis**, **450**, **451**, **453**, **456**, **457**; *crassus*, 453, 455; *principalis*, 453, 455, 456
Cordyceps, 122, 126, 127; *carabi*, 124; *cinerea*, 124, 125; *entomorrhiza*, 122, 123, 124, 125, 126, 127; *entomorrhiza* f. *spermatophora*, 122, 126; *gracilis*, 122, 124; *sobolifera*, 129, 131
Corcopsis major, 412, 417; *rosea*, 172; *tripteris*, 409
Coriandrum sativum, 267, 268
Corispermum hyssopifolium, 267
Cornus, 460; *canadensis*, 467
Correa pulchella, 319
CORRELL, DONOVAN STEWART: Native orchids of North America north of Mexico (Review), 470
Cortisone, cytological effects of, 422
Corydalis sempervirens, 415
Cotinus Coggygiea, 314
Cotoneaster acuminata, 318
Crataegus, 166, 167, 168; *monogyna*, 318; *Oxyacantha*, 318
Croton, 460
Crotonopsis elliptica, 409, 419; *linearis*, 172
Cucumis sativus, 312
Culex pipiens, 211
Cultivation, of *Entomophthora* on synthetic media, 211
Cyathus stercoreus, 150
Cyclamen persicum, 318
Cyperus alternifolius, 267, 312; *strigosus*, 465
Cypripedium acaule, 467
Cystobasidium, 106
Cystopteris fragilis, 460, 465
Cytisus scoparius, 268
Cytogeography of *Physalis*, 254
Cytological effects of cortisone, 422
Cytological study of *Tradescantia Reverchoni*, 67
Dacrymyces, 103, 106; *deliquescens*, 111; *ellisii*, 111; *minor*, 111; *palmatus*, 111; *punctiformis*, 111
Dacryomitra nuda, 111
Dacryopinax spathularia, 111
Dahlia, 460
Daldinia concentrica, 462
Danthonia, 420; *spicata*, 409, 412, 417
Datura cornigera, 319
DAVIS, B. H. (Review), 171
DAY, GORDON M.: Red spruce leaves, 88
Decatropis, 460

Decodon verticillatus, 155
Delacroixia coronata, 198, 212
Delphinium, 376, 377, 380; *alpestre*, 376; *americanus*, 376, 377; *antoninum*, 378; *bakeri*, 377; *bicolor*, 378; *blochmanae*, 380; *carolinianum*, 377; *chamissonis*, 377; × *confertiflorum*, 377; *decorum*, 380; *decorum* subsp. *tracyi*, 378; *diversifolium* subsp. *harneyense*, 378; *exaltatum*, 376, 377; *formosum*, 312; *glareosum* subsp. *caprorum*, 378; *glaucum*, 378; **hutchinsonae, 379**, 380; *nuttalli*, 380; *patens*, 380; *polycladon*, 380; *ramosum*, 381; *ramosum* f. **sidalceoides, 380**; *ramosum* subsp. *ramosum*, 381; *umatillense*, 381; *variegatum*, 380; *variegatum* subsp. *apiculatum*, 380; *virescens* subsp. *wootoni*, 378
Dendroceros, 333, 337, 339, 340, 341, 344
Dennstaedtia punctilobula, 465
Dentaria diphylla, 464; *laciniata*, 464
Desmodium, 167, 460; *strictum*, 172
Diamorpha, 407, 418; *cymosa*, 405, 407
Dianthus barbatus, 312; *Caryophyllus*, 312; *deltoides*, 312
Diapensia lapponica, 467
Dicentra Cucullaria, 464
Diceroprocta olympusa, 131
Dichotomosiphon tuberosus, 447
Dicranella, 164; *heteromalla*, 164, 415; *rufescens*, 164; *varia*, 164
Dicranum flagellare, 156; *flagellare* var. *minutissimum*, 157; *fuscescens*, 411; *scoparium*, 157, 411
Dieffenbachia picta, 312
Diervilla Lonicera, 465
Digitaria sanguinalis var. *ciliaris*, 267
Diodia teres, 409, 419
Dioscorea villosa, 155
Diospyros, 460
Dimerodontium, 210
Diplocystis, 372, 373; *aeruginosa*, 372
Diplotaxis, 268; *muralis*, 267; *tenuifolia*, 266, 267, 268
Disease resistance in tobacco varieties, 227
Distichlis, 298; *spicata*, 295, 298; *stricta*, 295, 298; *texana*, 293, 294, 295, 298
Ditrichum, 164
DODGE, B. O.: A fungus capable of parasitizing wharf-piling borers, 201
Draba, 168, 272
DRECHSLER, CHARLES: An entomophthoraceous tardigrade parasite producing small conidia on propulsive cells in spicate heads, 183
Drosera, 154; *longifolia*, 156; *rotundifolia*, 154, 156, 160
Dryopteris fragrans, 468; *marginalis*, 415, 417, 465; *noveboracensis*, 465; *palustris*, 465; *simulata*, 172
DUCKE, A.: The aritu or louro aritu, a new species of timber tree from the Brazilian Amazon, 322
Echinocactus, 471; *Wislizenii*, 471
Echinocereus, 471; *Engelmannii*, 471; *triglochidiatus* var. *melanacanthus*, 471
Echium vulgare, 312
Ecological study of *Carex* in Canada, 44
Eleocharis, 168; *tuberculosa*, 156
Elephantopus, 460
Elissarrhena grandifolia, 264
Elymus interruptus, 297
Elyonurus, 297, 298; *barbiculmis*, 293, 295; *tripsacoides*, 293, 295
Empusa, 198, 211, 218; *grylli*, 211; *muscae*, 211
Enteromorpha intestinalis, 371
Entodon erythropus, 461; *macropodus*, 462
Entomogenous fungi, 122
Entomophthora, cultivation of, 211
Entomophthora, 211, 212, 219; *apiculata*, 212, 213, 214, 215, 216, 217, 218, 219; *aulicae*, 211; *coronata*, 212, 213, 214, 215, 216, 217, 218, 219; *Henrici*, 211; *muscae*, 196; *papillata*, 196; *pseudococci*, 211, 218; *sphaerosperma*, 211, 218
Entomophthoraceous tardigrade parasite, 183
Epifagus virginiana, 460
Epigaea repens, 415
Epilobium, 168
Equisetum arvense, 465; *scirpoides*, 468
Eragrostis, 295, 298; *curtipedicellata*, 293, 294, 295; *pectinacea*, 465
Eremothecium Ashbyii, 143
Erianthus, 297; *strictus*, 293, 295, 297, 298
Eriochloa sericea, 293, 295
Eriophorum virginicum, 156
Erotylus spectrum, 132
Escherichia coli, 310, 311, 314, 315, 316, 317, 318, 319, 320, 321
Eschscholtzia californica, 312
Eugenia, 460, 463
Euglena, 363, 364, 365, 366, 367, 369, 370, 373, 374; *gracilis* var. *bacillaris*, 363, 374
Eupatorium, 168; *resinosum*, 172; *rugosum*, 465; *serotinum*, 172, 267, 268, 269
Euphorbia Cyparissias, 312; *pulcherrima*, 316
Euproctis chrysorrhoea, 211
Eurhynchium rusciforme, 164

Evonymus europaea, 312
EWAN, JOSEPH: The genus *Delphinium* in North America: supplementary notes and distribution records, 376
Exidia glandulosa, 111
Exoascus pruni, 468
FABLES, DAVID and LAUREL HOUDA: A preliminary report on the vascular flora and vertebrate fauna of the bluffs north of Milford, N. J., 464
Fabronia, 210; *ciliaris*, 462
Fabronidium, 210
Fagus mexicana, 460, 463
Fauna, vertebrate, 464
Favolus braziliensis, 462
Festuca, 295, 298; *arizonica*, 292, 293, 294, 297; *arundinacea*, 268
Ficus, 460
Field trip reports, 171, 428, 466
Filipendula rubra, 312
Fissidens cristatus, 462; *donnellii*, 461; *limbatus*, 461; *repandus*, 461; *subbasilaris*, 461
Flora, vascular, 464
Floral eponyms, 352, 430
Foliar venation, in *Lacunaria*, 382
Fomes australis, 462
Fontinalis Novae-Angliae, 164
FOSTER, ADRIANCE S.: Heterophylly and foliar venation in *Lacunaria*, 382
Franklinia, 469
Fraxinus americana, 465; *excelsior*, 317; *nigra*, 173
Froesia, 382, 398, 399
Frullania eboracensis, 429
Fuchsia speciosa, 317
Fucus spiralis, 371; *vesiculosus*, 371
Funaria hygrometrica var. *calvescens*, 462
Fungus, parasitizing wharf-piling borers, 201
Fusarium oxysporum, 230; *oxysporum* var. *nicotianae*, 229
Gaillardia pulchella, 315
Galega officinalis, 267, 268
Galinsoga bicolorata, 169; *ciliata*, 169
Galium, 168, 460
Garrya, 460
Gaultheria procumbens, 155
Gaylussacia baccata, 155; *dumosa*, 155; *frondosa*, 155, 158
Gelsemium sempervirens, 460
Gentiana, 168; *crinita*, 164; *quinquefolia*, 164
Genus *Delphinium*, supplementary notes and distribution records, 376
Geranium, 51, 55; *chilloense*, 54; *hirtum*, 54; *mexicanum*, 54; *sodiroanum*, 54
Geum Peckii, 467; *rivale*, 468
Gilibertia, 460
Ginkgo, 89
Gladiolus sp., 312
Gleditsia triacanthos, 312
Gloeotulasnella, 111; *cystidiophora*, 108, 111; *pinicola*, 111
Glomerella, 274
Glyceria borealis, 468
Gonimochaete horridula, 183, 197
GOODWIN, RICHARD H. and OLGA V. H. OWENS: The effectiveness of the spectrum in *Avena* internode inhibition, 11
Goodyera pubescens, 289
GOTTLIEB, DAVID and LILA DIAMOND: A synthetic medium for chloromycetin, 56
Gramineae, chromosome numbers in, 292
Gravillea robusta, 318
Gray's Manual of Botany, (Review), 165
GRIMM, WILLIAM CAREY: The trees of Pennsylvania (Review), 89
Grimmia, 164, 404, 405, 406, 411, 415, 418, 420; *laevigata*, 404, 411, 418; *pilifera*, 404, 411
Groutiella fragilis, 461; *wagneriana*, 461
Guadua, 32
Guepiniopsis torta, 111
Guizotia abyssinica, 268
GUNCKEL, J. E., (Review), 427
GUNTER, GORDON: A note on the blooming of Drummond's primrose, 350
Gymnopogon ambiguus, 172
Habenaria ciliaris, 289; *clavellata*, 289, 291; *clavellata* var. **Wrightii, 290, 291**; *hyperborea*, 471; *integra*, 469; *nivea*, 172
Habrodon, 207, 210
Hamamelis virginiana, 460, 463, 465
Haplopappus, 169
Hedera helix, 312
Hedwigia, 412; *ciliata*, 411, 412, 417, 420
Helenium autumnale, 169; *virginicum*, 169
Helianthus divaricatus, 465
Helichrysum coronarium, 315
Helicogloea, 109; **augustispora, 104, 107**; *lagerheimi*, 109; *longispora*, 109
Helonias bullata, 429
Hepatica americana, 464
HERNANDEZ X., EFRAIM, HOWARD CRUM, WM. B. FOX and A. J. SHARP: A unique vegetational area in Tamaulipas, 458
Herpetineurum toccoae, 462
Heterophylly, in *Lacunaria*, 382
Heteropogon contortus, 293, 295, 297
Heterotheca subaxillaris, 172

Heuchera americana, 409, 464
Hierochloe alpina, 467
Hirsutella, 125; *eleutheratorum*, 125
Hoffmannia Ghiesbreghtii, 318
Holomitrium arboreum, 461
Homaliodendron mohrianum, 461
Honckenya, 161
Hordeum jubatum, 268
Houstonia caerulea, 409; *caerulea* var. *Faxonorum*, 467; *longifolia*, 415; tenuifolia, 415
HUGHES, RALPH H.: Observations of cane (*Arundinaria*) flowers, seed, and seedlings in the North Carolina coastal plain, 113
Hybanthus concolor, 429, 465
Hybridization (natural), in *Cirsium*, 233
Hydrangea arborescens, 319
Hydrocotyle, 300; *acuminata*, 300; *acuminata* var. **pubescens, 300**; *acutifolia*, 305; *boliviana*, 300; **Cuatrecasasii, 307, 308**; *grossulariaefolia*, 307; *gunnerifolia*, 305; *hederacea*, 307; *Hitchcockii*, 301; *Humboldtii* var. *Humboldtii*, 301; *Humboldtii* var. *macrophylla*, 301; *Humboldtii* var. *pubescens*, 302; *incrassata*, 309; *lachnolina*, 302, 305; *Lehmanni*, 301; *minutifolia*, 302; *multifida*, 302, 303, 304, 305; **nixoides**, 302, **303, 304**; *palmata*, 302, 305; *Pennellii*, 309; *peruviana*, 301; *quinqueloba*, 301; *sphenoloba*, 302, 303, 304, 305; **Steyermarkii, 306**; *tambalomaensis*, 305, 307; *Urbaniana*, 307; *venezuelensis*, 307; *yanghuangensis*, 301
Hygroamblystegium orthocladon, 417
Hygrophorus conicus, 462
Hyla versicolor, 466
Hymenocallis Macleana, 314
Hymenostilbe, 125
Hyophila tortula, 462
Hypericum, 406, 408, 420; *densiflorum*, 155; *denticulatum*, 409; *gentianoides*, 409, 419; *punctatum*, 409
Hypnum imponens, 157
Hypochnus, 212
Hysibius, 185
Hyssopus officinalis, 312
Hystrix patula, 465
Ilex, 460; *glabra*, 155; *laevigata*, 155; *opaca*, 154
Illicium floridanum, 460
Impatiens pallida, 314
Index to American Botanical Literature, 90, 175, 279, 353, 431, 472
Internode inhibition of *Avena*, 11
Inula graveolens, 269
Ipomoea purpurea, 312
Iresine Herbstii, 314
Iris versicolor, 467
Isanthus, 169
Isaria, 205, *briquetii*, 132; *buquetii*, 132; *cicadae*, 131; *cosmopsaltriae*, 129; *eleutheratorum*, 125; *melanopus*, 132; *nigra*, 127, 129; *sinclairii*, 131
Ischyrodon, 210
Isopterygium diminutivum, 461
Itea virginica, 172
Jack pine forest, of Minnesota, 61
JAKOWSKA, SOPHIE: The resting nucleus in *Physaria* and *Lesquerella*, 221
JOHNSON, M. A., (Review), 426
Jola, 105
Juglans, 460; *nigra*, 312
Juncus, 167, 168, 379; *canadensis*, 156; *pelocarpus*, 167; *trifidus*, 467
Jungermannia multifida, 347
Juniperus virginiana, 173, 409, 417, 420
Kalmia, 413, 420; *angustifolia*, 155; *latifolia*, 155, 413, 417; *polifolia*, 468
KARLING, JOHN S.: *Cladochytrium setigerum* sp. nov. and *Septochytrium marilandicum* sp. nov. from Maryland, 38
KEEVER, CATHERINE, H. J. OOSTING and L. E. ANDERSON: Plant succession on exposed granite of Rocky Face Mountain, Alexander County, North Carolina, 401
Kniphofia Uvaria, 312
Kochia Childsii, 312
Krigia virginica, 409, 417, 419
KRUKOFF, B. A. and H. N. MOLDENKE: Supplementary notes on American Menispermaceae—V, 258
KUNKEL, L. O.: Yellow disease of plants, 269
Lactarius indigo, 462
Lactobacillus leichmannii, 373
Lactuca sativa var. *capitata*, 312; *sativa* var. *intybacea*, 312
Lacunaria, 382, 383, 385, 386, 388, 391, 396, 397, 398, 399, 400; *acreana*, 397; *coriacea*, 388; *crenata*, 382, 383, 384, 385, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 399; *grandifolia*, 388, 397; *macrostachya*, 397; *minor*, 397; *pulchrinervis*, 397; *Sampaioi*, 397; *Spruceana*, 397
Laminaria Agardhii, 371
Lamium maculatum, 312
Lantana Camara var. *mutabilis*, 319
Laportea canadensis, 460, 463
Larix laricina, 429
Lathyrus, 167; *odoratus*, 312

LAWTON, ELVA: Bryophytes of the Beaver Lake Region of New Jersey, 164; The peristome of *Clasmatodon parvulus* (Hampe) Sull., 206
Ledum groenlandicum, 429, 467
Leiophyllum buxifolium, 155
Lenzites trabea, 149, 151
Lebidium perfoliatum, 267
Lepidopilum pringlei, 461
Leptochloa virgata, 293, 294, 295
Leptodontium excelsum, 462; *squarrosum*, 462
Leptoloma cognatum, 293, 295, 297
Leskea parvula, 206
Lespedeza, 167; *cuneata*, 312; *hedysaroides*, 312
Lesquerella Sherwoodii, 221, 222, 225
Leucaena, 460
Leucobryum glaucum, 157, 411, 415, 417; *polakowskyi*, 461
Leucodon julaceus, 157
Leucoloma cruegeriana, 461
Leucothoe racemosa, 155, 158
Liatris, 168
Licaria Appelii, 322, 323; **aritu, 322,** 323; *Duartei*, 322, 323; *multiflora*, 322
Life-form spectra of pine forests, 61
Ligustrum vulgare, 317
Lilaeopsis lineata, 172
Lilium, 5; *Harrisii*, 317; *philadelphicum*, 278; *speciosum*, 312
Linaria canadensis, 409, 419; *maroccana*, 268; *vulgaris*, 319
Lindera benzoin, 155
Linum flavum, 317; *usitatissimum*, 267
Liquidambar styraciflua, 458, 459, 460, 463
Liriodendron Tulipifera, 465
Lithospermum arvense, 429
LITTLE, S.: Observations on the minor vegetation of the Pine Barren swamps in southern New Jersey, 153
LITTLE, SILAS, JR., (Review), 469
Lobelia, 460; *syphilitica*, 465
Loiseleuria procumbens, 467
Lomentaria Baileyana, 371, 374
Lonas inodora, 315
Lonchocarpus, 458, 460
Lonicera japonica, 415; *Maackii*, 312; *tatarica*, 312; *villosa*, 467
Lotus corniculatus, 266, 268; *corniculatus* subsp. *eucorniculatus* var. *arvensis* f. *parvifolius*, 266
Louro aritu, a new species of timber tree, 322
LUCAS, E. H., ARDETH LICKFELDT, R. Y. GOTTSHALL and J. C. JENNINGS: The occurrence of antibacterial substances in seed plants with special reference to *Mycobacterium tuberculosis*, 310
Lupinus hirsutus, 316; *perennis*, 467; *polyphyllus*, 316
Lycopodium annotinum var. *pungens*, 467; carolinianum, 172; *inundatum*, 156; *lucidulum*, 428; *sabinaefolium*, 468; *Selago*, 467
Lycurus, 298; *phleoides*, 293, 294, 295
Lygodium, 469
Lyonia ligustrina, 155; *mariana*, 155
Lysimachia vulgaris, 312
Lythrum lineare, 172
Macrobiotus, 184, 185, 186, 188, 190, 192, 200
Macrocoma hymenostoma, 462
Macromitrium fragilicuspis, 461; *pentastichum*, 461
Macrosteles divisus, 269
MADORE, SISTER M. ROSE BERNADETTE, S.S.A.: An Ecological study of the genus *Carex* in eastern subarctic Canada, 44
Magnolia Schiedeana, 458, 459, 460; *virginiana*, 153, 276
MAHESHWARI, P.: An introduction to the embryology of angiosperms (Review), 272
Mahonia, 460
MAINS, E. B.: Notes concerning entomogenous fungi, 122
Maleic hydrazide, effect on respiration of root tips, 73
Mammilaria, 471
Manisuris, 297, 298; *cylindrica*, 293, 295, 297
Marasmius, 84, 86; *oreades*, 83, 84, 87
Maravalia, 51
Marmota monax, 466
Massospora, 211, 218
MATHIAS, MILDRED E. and LINCOLN CONSTANCE: Supplementary notes on South American *Hydrocotyle*, 300
Matricaria inodora, 267, 268, 269
Matthiola incana, 312
MATZKE, EDWIN B. (Review), 350
MCVEIGH, ILDA and EMILY BELL: The amino acid and vitamin requirements of *Candida albicans* Y-475 and *Mycoderma vini* Y-939, 134
Medicago lupulina, 269, 429; *sativa*, 312
Medium, for chloromycetin, 56
Megaceros, 331, 332, 333, 337, 339, 341, 344; *gracilis*, 347
Melampyrum lineare, 64
Melia, 166

Melilotus indica, 267; *officinalis*, 269
Menispermaceae, notes on, 258
Mentha piperita, 312
Menyanthes trifoliata, 468
Mercenaria mercenaria, 367
Meria coniospora, 198
Meristacrum asterospermum, 183, 189, 196, 197, 198
Mertensia virginica, 429
Merulius tremellosus, 462
Mesembryanthemum cordifolium, 312
Mesogloia divaricata, 371
Meteriopsis patula, 458, 461
Meteorium illecebrum, 458, 461; *teres*, 461
Microlepidozia sylvatica, 156
Micropuccinia nivea, 52
Mimosa pudica, 316
MITCHELL, PALMYRE DE C.: *Lilium philadelphicum* L., 278
Mitchella repens, 155, 460
Mittenothamnium diminutivum, 461; *reptans*, 461
Mnium longirostrum, 462
Monarda didyma, 465; *festulosa*, 312
Monosporous cultures, of *Polyporus cinnabarinus*, 145
Monstera deliciosa, 314
Montia, 166
Morphology, of spikelet of *Streptochaeta*, 22
Morus, 460
Mucor, 202
Muhlenbergia, 168, 296, 298; *filiformis*, 296; *monticola*, 293, 295; *polycaulis*, 293, 295; *porteri*, 293, 295; *repens*, 293, 295; *reverchoni*, 293, 295; *uniflora*, 156
Musa sapientum, 312
Mushrooms, and protein rich grass, 83
Mya arenaria, 367
Mycena, 143
Mycobacterium tuberculosis, 310, 311, 313, 314, 315, 316, 317, 318, 319, 320, 321
Mycoderma vini, 134, 135, 136, 137, 138, 139, 141, 142, 143, 144
Myrica carolinensis, 173; *pensylvanica*, 155
Nabis ferus, 127, 129
Nacerda melanura, 201, 205
Napaea dioica, 317
Narcissus poeticus, 312; *Pseudo-Narcissus*, 312
NAYLOR, AUBREY, W., and EDWIN A. DAVIS: Respiration response of root tips to maleic hydrazide, 73
Neckera urnigera, 461
Neckeropsis undulata, 461
Nemopanthus mucronata, 172
Nemophila insignis, 312
Nerium Oleander, 314
Neurospora, 143, 275; *tetrasperma*, 150
Nomenclature, changes in rules of, 1
Notes, on American Menispermaceae, 258; on *Delphinium*, 376; on South American *Hydrocotyle*, 300; on Vaucheriaceae, 441
Notothylas, 337, 339, 340, 341
Nowakowskiella, 41; *atkinsi*, 40, 41; *crassa*, 38; *granulata*, 41
Nymphoides peltatum, 172
Nyssa, 460; *sylvatica*, 154
Observations, on *Euglena* and B_{12}, 363
Odontoschisma prostratum, 156
Oenothera, 168, 350; *Drummondii*, 350; *parviflora*, 173
OLIVE, LINDSAY S.: A new orchid from the southern Appalachians, 289; New or noteworthy species of Tremellales from the southern Appalachians, 103
Onoclea sensibilis, 465
Ophiostoma, 143
Opuntia, 406, 407, 471; *basilaris*, 471; *Engelmannii*, 471; *humifusa*, 407, 409, 464
Orchid from southern Appalachians, 289
Ornithogalum thyrsoides, 312
Orontium aquaticum, 156
Orthostichidium pentagonum, 461
Osmanthus, 460
Osmunda cinnamomea, 156, 158, 465; *regalis* var. *spectabilis*, 465
OWNBEY, GERALD B.: Natural hybridization in the genus *Cirsium*—I *C. discolor* (Muhl. ex Willd.) Spreng. X *C. muticum* Michx., 233
Oxalis acetosella, 312
Oxydendrum, 420; *arboreum*, 409
Oxytenanthera, 33
PAGE, VIRGINIA M.: Morphology of the spikelet of *Streptochaeta*, 22
Pallavicinia Lyellii, 156
Panicum, 166, 168, 296, 298, 420; *anceps*, 293, 295; *antidotale*, 293, 295; *bulbosum*, 293, 295; *californicum*, 297; *clandestinum*, 465; *filipes*, 293, 295; *geminatum*, 293, 295, 296, 298; *hians*, 293, 295, 296, 298; *lanuginosum* var. *fasciculatum*, 409, 412, 417; *obtusum*, 293, 295, 298; *plenum*, 293, 295; *verruscosum*, 156
Papaver somniferum, 267
Papillaria Deppei, 458, 461; *imponderosa*, 461; *nigrescens*, 458, 461
Parasite, entomophthoraceous tardigrade, 183
Parmelia, 403, 404, 405; *aurulenta*, 462;

Borreri, 462; *caperata*, 462; *cetrata*, 158, 462; *conspersa*, 403, 404, 411, 417; *perforata*, 158, 462; *rudecta*, 158; *saxatilis*, 158; *sulphurata*, 462; *tiliacea*, 158
Parthenocissus quinquefolia, 155, 409, 460, 465; *tricuspidata*, 320
Paspalum, 296, 297; *bulbosum*, 297; *dissectum*, 293, 295, 296; *distichum*, 293, 295, 296; *langei*, 293, 295, 296; *pubiflorum*, 293, 295, 296
Peccania kansana, 403
Pelargonium domesticum, 316
PELOUBET, FRANCIS LOUISE, (Review), 89
Peltranda virginica, 156
Peltigera polydactyla var. *typica*, 462
Pennisetum, 254
Penstemon pallidus, 468; *grandiflorus*, 319
Peperomia, 460
Pereskia aculeata, 312
Peristome, of *Clasmatodon parvulus*, 206
Peronea minuta, 211
Persea, 460
Pertusaria leipolaca, 462
Petasites japonicus, 315
Petroselinum hortense, 312
Peziza domiciliana, 212
Phaeoceros, 331, 332, 333, 335, 337, **338**, 339, 340, 341, 343, 344, 345, **346**, 347, 348; **carolinianus**, 343, 345, **347**; **dichotomus**, 343, **347**; **dixiti**, 343, **347**; **hallii**, 333, 335, 337, **338**, 340, 343, **347**; **laevis**, **344**, **336**, **338**, 343, 344, 345, 346, **347**; **novazaelandicus**, 343, **347**; **pearsoni**, 333, 335, **338**, 343, **347**; **propaguliferus**, 345, **347**; **tjipanasanus**, 343, **347**
Phaseolus lunatus, 312; *vulgaris*, 312
Pheretima hilgendorfi, 368
Philonotis fontana, 411, 415
Phlox subulata, 465
Phoenix dactylifera, 317
Phoradendron flavescens, 172
Physalis, 254, 256, 257; *angulata*, 254, 255, 256, 257; *divaricata*, 254, 255, 256, 257; *peruviana*, 254, 255, 256, 257
Physalis, cytogeography of, 254
Physaria australis, 221, 222, 223, 225; *Geyeri*, 221, 222, 223, 224, 225
Physaria and *Lesquerella*, resting nucleus in, 221
Physcia endoricea, 429; *stellaris*, 462
Physocarpus opulifolius, 465
Phytolacca americana, 317, 460
Phytophthora parasitica var. *nicotianae*, 229
Picea, 88; *glauca*, 468; *rubens*, 88
Picris hieracioides, 267
Pilotrichella flexilis, 458, 461; *rigida*, 458, 461
Pine Barren swamps, 153
Pine Barrens, of New Jersey, 61
Pinus banksiana, 61; *echinata*, 61; *montezumae*, 460; *patula*, 460; *pungens*, 413; *rigida*, 61, 154; *taeda*, 131; virginiana, 409, 413, 420, 464, 465
Piper, 460
Piptochaetium, 298; *fimbriatum*, 293, 294, 296, 298
Pireella ludoviciae, 461
Plagiothecium micans, 157
Plant succession on exposed granite, 401
Plantago media, 268
Platygloea, 103, 105, 106, 107; **arrhytidiae**, **103**, **104**; *disciformis*, 105, 106; *fimicola*, 105; *fusco-atra*, 105; *nigricans*, 105; *peniophorae*, 103, 106; *pustulata*, 105; *unispora*, 106
Platygyrium repens, 157
Platyhypnidium subrusciforme, 461
Plectocolea crenulata, 164
Plectonema, 373
Plethodon cinereus, 466
Pleuropus bonplantii, 462
Poa pratensis, 84
Podocarpus Reichei, 458, 459, 460
Pogonatum, 164
Pogonia ophioglossoides, 156, 159
Pohlia carnea, 164; *Wahlenbergii*, 164
Polioma, 51, **52**; *delicatula*, 51, 55; *griseola*, 52, 53; *nivae*, 52, 53; **robusta**, **52**, **53**, 54, 55; **unilateralis**, **52**, **54**
Polycephalomyces, 126; *ramosa*, 123, 126
Polycodium, 420; *candicans*, 413
Polygala brevifolia, 156; *paucifolia*, 467
Polygonatum biflorum, 415, 417
Polygonum, 168; *persicaria*, 266; *sachalinense*, 318; *tomentosum*, 266, 267; *viviparum*, 467
Polypodium polypodiodes, 460; *virginianum*, 465; *virginianum* f. *acuminatum*, 468
Polyporus adustus, 462; *cinnabarinus*, 145, 146, 147, 149, 151, 462; *fimbriatus*, 462; *gilvus*, 462; *maximus*, 462; *rhipidium*, 462; *sulfureus*, 462; *tabacinus*, 462; *tenuis*, 462; *versicolor*, 462
Polysiphonia variegata, 371
Polystichum acrostichoides, 465; *Braunii*, 468
Polytrichum, 408, 414, 416, 417; *commune*, 157, 408, 416, 419, 420; *juniperinum*, 412, 416, 420; *ohioense*, 157, 419; *piliferum*, 416

Populus heterophylla, 172; *tremuloides* var. *magnifica*, 468
Porotrichum cobanese, 461
Portulaca oleracea, 312
Potamogeton, 168, 272
Potentilla arguta, 468; *Robbinsiana*, 467; *tridentata*, 468
Pothos aureus, 314
POTZGER, J. E., (Review), 351
Prenanthes serpentaria, 172
Prestonia, 460
Primula malacoides, 318; *obconica*, 318
Prionodon densus, 461
Proceedings of the Club, 274
Procyon lotor, 466
PROSKAUER, JOHANNES: Studies on Anthocerotales. III, 331
Prunus nigra, 468; *serotina*, 413, 415, 418, 460, 465
Pseudococcus calceolariae, 211
Pseudomonas angulata, 230; *tabaci*, 230
Pseudosymblepharis circinatus, 461
Ptelea trifoliata, 319
Pteridium aquilinum var. *latiusculum*, 465
Pterobryopsis mexicana, 461
Pterobryum densum, 461
Pterogonium repens, 209; *subcapillatum*, 209
Ptychomitrium serratum, 461
Puccinia, 51, 55; *griseola*, 51, 53; *nivea*, 51, 52; *unilateralis*, 51, *54*
PULLE, A. A.: Compendium van de Terminologie, Nomenclatuur en Systematiek der Zaadplantem (Review), 350
Pycnanthemum sp. 465; *incanum*, 409
Pyracantha coccinea, 318
Pyrostegia venusta, 312
Pyrus atrosanguinea, 318
Pythium irregulare, 183, 229
Quercus, 170, 460; *alba*, 172; *falcata*, 168; *ilicifolia*, 155, 250; *macrocarpa*, 275; *marilandica*, 250; *prinus*, 168, 172, 465; *rubra*, 168, 465; X *Saulii*, 172; *shumardii*, 170; *velutina*, 465
Quiina, 382, 383, 385, 398, 399; *acutangula*, 397, 398, 399; *amazonica*, 398; *crenata*, 382, 383; *indigofera*, 398; *leptoclada*, 398; *oblanceolata*, 398
Ramalina complanata, 462; *farinacea*, 462
Rana clamitans, 467
Ranunculus fascicularis, 465
Rapanea, 460
Raphanus sativus, 312
Ravenia humilis, 319
REED, FREDDA D., and MARY TONNESON SANDOE: *Cordaites affinis:* a new species of Cordaitean leaf from American coal fields, 449
Reseda luteola, 266, 267
Respiration, of root tips, 73
Resting nucleus, in *Physaria* and *Lesquerella*, 221
Rhacomitrium, 164, 412, 416; *heterostichum*, 412; *heterostichum* var. *ramulosum*, 411, 417, 420;
Rhamnus caroliniana, 460, 463
Rhapidorrhynchium insularum, 461; *lindigii*, 461
Rhegmatodon, 210; *parvulus*, 207, 210
Rhexia virginica, 156
Rhizoctonia solani, 229
Rhizogonium spiniforme, 461
Rhododendron, 413, 420; *canadense*, 468; *catawbiense*, 413, 418; *indicum*, 316; *lapponicum*, 467; *viscosum*, 155, 158
Rhoeo, 221, 225
Rhopobota vacciniana, 211
Rhus, 420; *canadensis*, 460, 463; *copallina*, 413; *glabra*, 409; *quercifolia*, 172; *radicans*, 460, 465; *Toxicodendron*, 173, 460; *typhina*, 465
Rhynchospora, 168
Riccardia multifida, 347
Ricinus communis, 312
RICKETT, H. W.: Some changes in the International Rules of Botanical Nomenclature made at Stockholm in 1950, 1
ROBBINS, WILLIAM J., ANNETTE HERVEY and MARY E. STEBBINS: Further observations on *Euglena* and B_{12}, 363
Robinia, 420; *hispida*, 413; *Pseudacacia*, 316
RODGERS, ANDREW DENNY III: Bernhard Eduard Fernow: A Story of North American forestry (Review), 469
ROLLINS, R. C.: Merritt Lyndon Fernald. 1873–1950, 270
Rosa, 5; *alba*, 312; *blanda*, 312; *canina*, 318; *cariifolia*, 312; *carolina*, 465; *humilis*, 312; *multiflora*, 318; *setigera*, 312
Rotboellia glandulosa, 297
ROUTIEN, JOHN B.: Studies of monosporous cultures of *Polyporus cinnabarinus* Fr., 145
Rubus, 167, 168, 257; *dissensus*, 167; *emeritus*, 167; *hispidus*, 155; *odoratus*, 465; *plus*, 167; *satis*, 167; *uniformis*, 167; *univocus*, 167; *villosus*, 173
RUCKER, M. PIERCE, M.D.: Floral eponyms, 352, 430
Rudbeckia laciniatia, 312

Rumex Acetosella, 173, 312; *conglomeratus*, 267
Rynchospora alba, 156
Sabatia lanceolata, 156
Saccharomyces, 143
Saintpaulia ionantha var. *grandiflora*, 312
Salix, 167, 168; *argyrocarpa*, 467; *Caprea*, 319; *herbacea*, 467; *planifolia*, 467; *Uva-ursi*, 467
Salmonella typhimurium, 310, 311, 314, 315, 316, 317, 318, 319, 320, 321
Salvia, 51, 53; *compacta*, 51, 54; *purpurea*, 52, 32
Sanchezia nobilis, 312
Sanguinaria canadensis, 464
Sanguisorba officinalis, 312; *tenuifolia*, 318
Sanicula, 460
Sansevieria zeylanica, 313
Santolina Chamaecyparissus, 315
Saponaria officinalis, 313
Sargassum Filipendula, 371
Sarracenia purpurea, 156, 159
Sassafras albidum, 154, 413, 415, 465
Saxifraga michauxii, 409, 412, 417; *rivularis*, 467; *sarmentosa*, 319; *virginiensis*, 464
Scabiosa atropurpurea, 316
Scapania nemorosa, 415, 429
Schizaea, 158, 159; *pusilla*, 156, 158
Schizophyllum commune, 462
Schizostachyum, 32
Schlotheimia rugifolia, 462; *sublaevifolia*, 461
Sciadotenia, 259; *amazonica*, 259; *brachypoda*, 259; *cayennensis*, 259; *eichleriana*, 261; **javariensis**, 258, **260**; *paraensis*, 259; *ramiflora*, 259; *sagotiana*, 259; *similis*, 259; *solimoesana*, 261; *toxifera*, 260
Scilla bifolia, 313
Scirpus, 168; *atrovirens*, 465; *caespitosus*, 467; *rubrotinctus*, 468
Sciurus carolinensis, 466
Sclerolepis, 172
Sclerotium rolfsii, 229
Scutellaria serrata, 415
Sebacina hevelloides, 111; *opalea*, 111; *podlachica*, 111
Seismosarca, 110; alba, 110; **cartilaginea**, **107**, **108**, **110**; *hydrophora*, 110, 111; *tomentosa*, 110
Selaginella, 405, 406; *rupestris*, 405, 406, 418, 420, 468
Sematophyllum caespitosum, 461; *carolinianum*, 417; *sericifolium*, 461
Senecio, 460; *cruentus*, 313; *mikanioides*, 313; *smallii*, 409, 415; *viscosus*, 268; *vulgaris*, 268
Septobasidium, **106**
Septochytrium, 38, 41; *macrosporum*, 41; **marilandicum**, 38, **39**, 41, **42**, 43
Sericocarpus asteroides, 412; *linifolius*, 409
Setaria Faberii, 172; *glauca*, 465
Shortia, 110
Sidalcea, 381
Silphium laciniatum, 315
Sisyrinchium, 168
Sitanion hystrix, 297
Smilacina trifolia, 467
Smilax, 460; *glauca*, 155, 415, 460; *laurifolia*, 172; *rotundifolia*, 155, 158, 415
SMITH, GUY-HAROLD (Editor): Conservation of natural resources (Review), 351
Solandra, 460
Solanum, 254, 460; *Dulcamara*, 313; *nigrum*, 268; *villosum*, 267
Solidago, 168; *arguta*, 465; *caesia*, 465; *canadensis*, 315; *tenuifolia*, 156
Spathiphyllum cannaefolium, 314
Spectrum, effect in *Avena* internode inhibition, 11
Sphaeria entomorrhiza, 122
Sphagnum, 153, 159; *compactum*, 157, 411, 415; *cuspidatum*, 157; *magellanicum*, 157; *recurvum*, 157
Spicaria, 191, 205
Spikelet, of *Streptochaeta*, 22
Spiraea corymbosa, 415
Sporobolus, 298; *airoides*, 293, 294, 296; *poiretti*, 293, 294, 296
Sporotrichum, 204, 205; *globuliferum*, 204, 205
Staphylococcus aureus, 310, 311, 314, 315, 316, 317, 318, 319, 320, 321
Statice elata, 313
Staurothele, 403, 404; *diffractella*, 403, 404, 411
STEBBINS, G. LEDYARD, JR.: Variation and evolution in plants (Review), 170
STEINBERG, ROBERT A.: Amino acid toxicities to tobacco varieties differing in resistance to black root-rot, 227
Stellaria aquatica, 267; *media*, 313
Stenotaphrum secundatum, 293, 295, 297
STERN, WILLIAM L., and MURRAY F. BUELL: Life-form spectra of New Jersey pine barrens forest and Minnesota jack pine forest, 61
Sticta quercizans, 462
Stilbella setiformis, 125, 126
Stilbum buqueti, 130, 131, 132; *ramosum*, 125, 126, 127

Stipa, 296, 298; *eminens*, 293, 295, 296; *leucotrichia*, 293, 294, 296; *tenuissima*, 293, 295, 296, 298
STOVER, ERNEST L.: An introduction to the anatomy of seed plants (Review), 427
Streptochaeta, 22, 26, 28, 29, 32, 33, 34, 35, 36; *sodiroana*, 23, 24, 25, 28, 29; *spicata*, 22, 23, 24, 25, 27, 29, 30, 33
Streptomyces venezuelae, 56, 57, 59
Streptopus amplexifolius, 468
Strobilanthes isophyllos, 313
Strophanthus, 80, 81, 82; *arnoldianus*, 80; *Barteri*, 80; *congoensis*, 80; *Courmonti*, 80; *divergens*, 81, 82; *Emini*, 80; *gerrardii*, 80; *grandiflorus*, 80; *gratus*, 80; *hispidus*, 80; *hypoleucus*, 80; *Kombe*, 80; *Preussii*, 80; *sarmentosus*, 80; *speciosus*, 80, 82, *Tholloni*, 80; *Wightianus*, 80, 82
Stylosanthes biflora, 172
Symphoricarpos albus, 313
Symphostemon, 9
Synthetic media, and cultivation of *Entomophthora*, 211
Syringa vulgaris, 317
Syrrhopodon gaudichaudi, 461; *incompletus*, 461; *inflexus*, 461; *prolifer*, 461
Tacca, 70; *involucrata*, 70, 71, 72
Taenidia integerrima, 465
Tagetes patula, 315
Talinum, 254, 406, 407; *teretifolium*, 405, 407, 419
Tamarix, 166
Tamaulipas, vegetational area in, 458
Taraxacum, 168; *officinale*, 313
Taxiphyllum planissimum, 461
Taxus canadensis, 319; *globosa*, 458, 460
Telitoxicum, 262; *glaziovii*, 262; *krukovii*, 262; *minutiflorum*, 262
Terrapene carolina, 466
Tetraphis pellucida, 157
Teucrium Chamaedrys, 316
Thelia hirtella, 157
Theloschistes chrysophthalamus, 462; *flavicans*, 462
Thielaviopsis, 230; *basicola*, 227, 229, 231
Thuidium antillarum, 461; *delicatulum*, 157, 415, 417, 462; *minutulum*, 462
Thymus serpyllum, 266; *vulgaris*, 313
Tilachlidiopsis, 127, 129; *hippotrichoides*, 127, 129; *nigra*, 125, 127, 129; *racemosa*, 127, 129; **scarabaei**, **129**
Tilia, 460; *americana*, 465
Tillandsia, 460; *utriculata*, 313
Timber tree, new species, 322
Timmiella anomala, 461
Torreya, 83, 164, 266, 350, 426, 464
Torrubia cinerea, 124, 125; *eleutheratorum*, 125; *entomorrhiza*, 124
Tortella humilis, 462
Torula cremoris, 143
Touroulia, 382, 397, 398, 399
Toxicodendron radicans, 155; *vernix*, 155
Trachypogon, 297, 298; *montufari*, 293, 295, 297
Trachypus viridulus, 461
Tradescantia, 68, 69, 406, 420; *canaliculata*, 67; *edwardsiana*, 66; *gigantia*, 66; *hirsutiflora*, 66, 67; *humilis*, 66; *longipes*, 67; *occidentalis*, 66, 67, 68; *ohioensis*, 409; *ozarkana*, 67; *Reverchoni*, 66, 67, 68, 69; *roseolens*, 67; *subacaulis*, 66; *subaspera*, 67; *Tharpii*, 67; *virginiana*, 67, 68, 409
Tremella foliacea, 109; *foliacea* f. *succina*, 109; *foliacea* var. *violascens*, 109, 110; *mycophaga* var. *obscura*, 111; *reticulata*, 111; *subanomala*, 111; *succina*, 109; *tubercularia*, 111
Tremellales, new or noteworthy species of, 103
Tremellodendron, 111; *candidum*, 111
Tremellodon gelatinosus, 111
Trichachne, 297; *californica*, 293, 295, 297; *insularis*, 293, 295; *patens*, 293, 295
Trichilia, 458; *havanensis*, 460, 463
Trichloris pleuriflora, 293, 294, 295
Trichoderma, 202
Trichostomum brachydontium, 461; *cylindricum*, 462
Trientalis borealis, 156, 160
Trifolium, 257; *dubium*, 267; *minus*, 313
Trillium, 324, 325, 326, 328, 329; *decumbens*, 324, 325, 326, 327, 328, 329, 330; *grandiflorum*, 169; *kamstchaticum*, 324; *lancifolium*, 324, 325, 326, 327, 328, 329, 330; *luteum*, 325, 326, 327, 328, 329, 330; *recurvatum*, 324, 325, 326, 327, 328, 329; *sessile*, 324, 325, 326, 327, 328, 329; *smallii*, 324; *stamineum*, 324, 325, 326, 327, 328, 329; *tschonoskii*, 324; *undulatum*, 487
Triodia flava, 465
Triosteum perfoliatum, 465
Triphora trianthophora, 289
Triticum vulgare, 313
Tsuga canadensis, 173
Tulipa acuminata, 317; *Gesneriana*, 317
Turpinia, 458; *pinnata*, 460, 463
Ulmus rubra, 465
Ulva Lactuca, 371
Umbelliferae, 300

Umbilicaria pustulata, 411
Uredinales, 51
Uredo unilateralis, *54*, 55
Urtica, 166
Usnea dasypoga, 462; *florida* var. *strigosa*, 462
Uvularia perfoliata, 467
Vaccinium atrococcum, 155, 158; *corymbosum*, 155, 158; *macrocarpum*, 155, 158; *Oxycoccus*, 429, 468; *pallidum*, 155, 158; *Vitis-Idaea* var. *minus*, 467
Vaucheria, 441; *Arechavaletae*, 441, 442, 443, 444, 445; *arryncha*, *447*; *aversa*, 447; **brevicaulis, 442, 445**; *De Baryana*, 443, 447; *geminata*, 445, 446; *Jaoi*, 443, 444, 445, 447; *Jaoi* f. *minor*, 443; *polymorpha*, 442, 446; *macrocarpa*, 442, 446; *pachyderma*, 447; *polysperma*, 447; *prolifera*, 443, 444, 445, 447; *pseudo-geminata*, 446, 447; *subarechavaletae*, 443, 444; *terrestris*, 445, 446; *uncinata*, 447
Vaucheriaceae, notes on, 441
Vaucheriopsis arryncha, 447
Vegetation, of the Pine Barren swamps, 153
Vegetational area, in Tamaulipas, 458
Verbascum lychnitis f. *alba*, 268
Verbena erinoides, 319; *officinalis*, 269
Vernonia, 166; *noveboracensis*, 465
Veronica persica, 429; *chamaedrys*, 468
Viburnum nudum, 155; *Opulus*, 315; *prunifolium*, 465
Vicia Cracca, 317
Vigna, 254
Vinca major, 313
Viola, 167, 168, 170, 460; *Rafinesquii*, 429; *rotundifolia*, 465; *tricolor*, 313
Vitamin requirements of *C. albicans* and *M. vini*, 134
Vitis, 460; *Labrusca*, 320
Weisia controversa, 462
WILLIAMS, LOUIS O., (Review), 470
Wimmeria, 460
Wisteria sinensis, 313
WITKUS, E. R.: The chromosome number of several species of *Strophanthus*, 80
WOLF, FREDERICK T.: The cultivation of two species of *Entomophthora* on synthetic media, 211
Woodsia ilvensis, 468; *obtusa*, 465
Woodwardia areolata, 156; *virginica*, 156, 158
Xanthium, 168
Xanthoxylum, 169, 460; *americanum*, 169
Xylaria cubensis, 462; *gracilis*, 124
Xylosma, 460
Yucca filamentosa, 409
Zanthoxylum, 169
Zea, 254
Zinnia, 430